



WALL GUARD NANO

Stop the stains on the concrete surface!

If the concrete surface is covered by WALL GUARD NANO, you can recover it from stains by just washing the surface with water.

PRODUCT FEATURES

- ✓ It creates a thin, invisible film layer on the surface.
- ✓ Apply 2 coats. Second coat should be applied after 20 minutes of first coat application. The surface is ready for use within 1 hour.
- ✓ 1 liter WALL GUARD NANO can covers 4- 5 sqm with double coat
- ✓ Apply WALL GUARD NANO on surfaces by compressor, roller or brush.

USAGE AREAS

- ✓ Historical Places and Natural stones.
- ✓ Concrete surfaces.
- ✓ Rough surfaces that are available to hold dirt.
- ✓ **Concrete surfaces, frequently subjected to spray paint attack.**
(If there is WALL GUARD NANO at the bottom, spray paint easily removed from the surface)

USAGE AREAS

WALL GUARD NANO

AGAINST THE SPRAY PAINT ATTACK ON CONCRETE

WALL GUARD NANO is applied only to absorbent surfaces such as concrete, natural stone, tile and brick. Dust and dirt can be easily removed from the WALL GUARD NANO applied surface, just wet cloth or water. If spray paint is bored on the surface, it can be removed from the surface with 60 C ° pressurized water. In large surface areas, a soft tip brush may be needed. There is no other system that provides this easy cleaning, giving the opportunity to clean the surface repeatedly without damaging the coating.



If there is a transparent WALL GUARD NANO on the surface of the stone, don't be afraid of spray paint attacks ☺ . With 60 C ° pressurized water, you can easily remove all spray paint from the surface.

USAGE AREAS

WALL GUARD NANO

EXTERNAL FRONTS OF HISTORICAL MONUMENTS AND NORMAL BUILDINGS

Only rainwater will be enough to clean the building facades, bridges, monuments and statues if the externals of the buildings are protected by **WALL GUARD NANO**.

